

**leboulch**



[www.leboulch.com](http://www.leboulch.com)

# HVS






evolution

## ALL-TERRAIN MOUNTAIN-TYPE MUCK SPREADER




**Leboulch, experience and sturdiness for a well done job!**







**Guillotine door** (standard pre-equipment)



170 or 191 cm depending on the model

130 or 150 cm depending on the model

**Monoblock, tapered body** with one-piece side sheets for easy unloading of the goods.




**Simplified DPA** with LB 500 control box

**Precise DPA** with LB 4000 control box


**DPA (proportional flow):** automatic regulation of the moving floor speed according to the door opening (except LB 500) and driving speed. Control box to be placed in the tractor.



**Headboard** with self-cleaning grate.



**Document tube** with individualised spare parts book.




(A)

(B)

**Choice of eyelets**

(A) Bolted Ø50 mm (standard)

(B) Bolted knee-joint (option)



**Drive line with transmission under the lowered axle** (ideal for sloping terrain). Wear rings on rear bearings. Free wheel clutch on rear universal joint. Sealing flaps at the front and on the spreading table.






# HVS evolution

- ✓ Single axle from 7.8 to 17.44 m<sup>3</sup>
- ✓ Lowered body for excellent stability and grip on slopes
- ✓ Balanced Leboulch beaters with spirals
- ✓ Removable blades

## FOR SMALL AND MEDIUM-SIZED BUSINESSES

The dimensions below are given in meters (m).



\*Capacity (in t) for manure with a density of 0.8 t/m<sup>3</sup>.

### Excellent price-quality ratio!



**JLB leboulch**

Route de Guernanville, 27330 La Vieille-Lyre (France)

Tel.: +33 2 32 30 67 47

E-Mail: info@leboulch.com

www.leboulch.com

